



PANEL PARAMETERS
TECHNICAL INFORMATION
COLOR CHARTS

TECHNICAL PRODUCT GUIDE

ORIGIN
PREMIER

PANELS THAT
PERFORM.

PEOPLE THAT
DELIVER.

VISIT OUR WEBSITE:
ZEEFFPANELS.COM

PRODUCT
CATALOG

TABLE OF CONTENTS

INTRODUCTION

Origin Premier System Overview	1
Premier Panel Types	2-3

TECHNICAL INFORMATION

Painted Aluminum	4-5
Anodized Aluminum	6-7
Zinc	8-9
Weathering Steel	10-11
Stainless Steel	12-13

PORTFOLIO

Project Photography	14-17
---------------------	-------

FINISHING INFORMATION

FEVE Solid Colors	18
PVDF Solid Colors	19
Faux Textures	20
Anodized & Zinc	21

Manufactured to precision.

The Origin *Premier* series offers precision-manufactured architectural panels with customizable profiles, sizes, materials, and finishes for limitless design possibilities.



NON-COMBUSTIBLE

Manufactured from solid metal, Origin Premier provides a non-combustible architectural solution suitable for projects requiring enhanced fire performance.



NON-LAMINATED

The panel is not laminated and does not have a plastic core. Therefore, panels can never delaminate.



NO SEALANTS OR GASKETS

The panel utilizes dry-joint rainscreen technology to eliminate sealants and gaskets in panel to panel connections.



FINISH PERFORMANCE

Built with premium materials and finishes, Origin Premier panels provide exceptional durability and long-lasting performance for every application.



EASY INSTALLATION

The panel's one piece design is optimized to install easily onto a variety of substrates.



SUSTAINABLE DESIGN

Panels are manufactured without a plastic core and are 100% recyclable.

**20+ YEARS OF
MANUFACTURING
EXPERIENCE**

**IN HOUSE
ESTIMATING,
PROJECT
MANAGEMENT &
DRAFTING SERVICES**

**MADE IN
AMERICA**



ORIGIN
PREMIER



PANEL TYPES

One series.
Multiple profiles.

The Origin Premier Series features a collection of panel styles designed to achieve a wide range of architectural aesthetics.

Each profile is precision-manufactured to deliver exceptional quality, durability, and design flexibility.

ORIGIN
PREMIER


Premier **FLAT**

Featuring a sleek, flat profile that delivers a clean, contemporary look.



Premier **PERFORATED**

Transform metal into a design element with limitless creativity.



Premier DIMENSION

Add depth across the entire surface, creating bold, three-dimensional design.



Premier EDGE

Designed with a slanted profile to create striking depth and natural shadow lines.



Premier BUTTERFLY

A precision-formed dual-slant profile, creating dynamic angles and striking visual depth.



TECHNICAL INFORMATION

Painted Aluminum

Manufactured from marine-grade 5052-H32 aluminum, providing exceptional strength, corrosion resistance, and long-term performance for demanding architectural applications.

ORIGIN
PREMIER

*Finish: 100% FEVE
Color: Brilliant Blue*





PANEL PARAMETERS & SYSTEM SPECS

.080" & .125"

PANEL SIZE PARAMETERS

ORIGIN
PREMIER



LARGER PANEL SIZES
Panel sizes as shown are the recommended maximum width and heights. If there is a panel size that fits inside these guidelines, ZPS can manufacture it. Please contact ZPS to discuss larger panel sizes.

PANEL DEPTHS
For panel depths exceeding 3', please consult a Zeeff Panel Systems representative to review project requirements and available custom configurations.

SYSTEM SPECS

MATERIAL

5052-H32 MARINE
GRADE ALLOY

FINISH

70% PVDF
100% FEVE



WARRANTY

FINISH: 20 YEARS
MFG: 2 YEARS

	.080"	.125"
PANEL DEPTH	1-1/4" nominal standard, up to 6"	1-1/2" nominal standard, up to 10"
PANEL JOINTS	5/8" nominal (1/8" - 1" available)	3/4" nominal (1/8" - 1" available)
WEIGHT	Less than 2lbs per/sf	Less than 3lbs per/sf

AVAILABLE PANEL TYPES



AAMA

501.1
508

ASTM

E84
E283
E330
E331
E1233

**FULLY
TESTED
SYSTEM**



TECHNICAL INFORMATION

Anodized Aluminum

Anodized aluminum provides a refined metallic appearance with exceptional durability. The integrated anodic finish enhances corrosion resistance while showcasing the natural beauty of aluminum.

ORIGIN
PREMIER

*Finish: Anodized
Color: Champagne*





PANEL PARAMETERS & SYSTEM SPECS

.080" & .125"

PANEL SIZE PARAMETERS

ORIGIN
PREMIER



LARGER PANEL SIZES
Panel sizes as shown are the recommended maximum width and heights. If there is a panel size that fits inside these guidelines, ZPS can manufacture it. Please contact ZPS to discuss larger panel sizes.

PANEL DEPTHS
For panel depths exceeding 3", please consult a Zeeff Panel Systems representative to review project requirements and available custom configurations.

SYSTEM SPECS

MATERIAL

5000 SERIES
ALLOY

FINISH


AAMA 611
Architectural
Class 1



WARRANTY

FINISH: 5-10 YEARS
MFG: 2 YEARS

AVAILABLE PANEL TYPES



AAMA

501.1
508

ASTM

E84
E283
E330
E331
E1233

**FULLY
TESTED
SYSTEM**



	.080"	.125"
PANEL DEPTH	1-1/4" nominal standard, up to 6"	1-1/2" nominal standard, up to 8"
PANEL JOINTS	5/8" nominal (1/8" - 1" available)	3/4" nominal (1/8" - 1" available)
WEIGHT	Less than 2lbs per/sf	Less than 3lbs per/sf

TECHNICAL INFORMATION

Zinc

Engineered by nature, zinc creates a self-healing patina that enhances corrosion resistance while developing a unique, evolving finish.

ORIGIN
PREMIER

*Finish: NedZink
Color: Nuance Blue*





PANEL PARAMETERS & SYSTEM SPECS

1mm & 1.5mm

PANEL SIZE PARAMETERS

ORIGIN
PREMIER



LARGER PANEL SIZES
Panel sizes as shown are the recommended maximum width and heights. If there is a panel size that fits inside these guidelines, ZPS can manufacture it. Please contact ZPS to discuss larger panel sizes.

SYSTEM SPECS

MATERIAL

ZINC


FINISH

NATURAL, GRAY,
BLUE, RED, GREEN,
BROWN, BLACK

WARRANTY

MATERIAL: 10 YEARS
MFG: 2 YEARS

AVAILABLE PANEL TYPES



AAMA

501.1
508

ASTM

E283
E330
E331
E1233

**FULLY
TESTED
SYSTEM**



	1mm	1.5mm
PANEL DEPTH	1-1/4" nominal standard, up to 3"	1-1/4" nominal standard, up to 3"
PANEL JOINTS	5/8" nominal (1/8" - 1" available)	5/8" nominal (1/8" - 1" available)
WEIGHT	≈ 2 lbs. / sf	≈ 3 lbs. / sf

TECHNICAL INFORMATION

Weathering Steel

Designed to develop a rich, protective patina over time, weathering steel delivers rugged character, long-term durability, and a distinctive architectural aesthetic

ORIGIN
PREMIER




PANEL PARAMETERS & SYSTEM SPECS

18ga & 16ga

PANEL SIZE PARAMETERS


ORIGIN
PREMIER




Wind clips not required (verification needed in high-wind areas).

Vertical panels 48" and taller require Wind Clips at 24" on center max.

LARGER PANEL SIZES
Panel sizes as shown are the recommended maximum width and heights. If there is a panel size that fits inside these guidelines, ZPS can manufacture it. Please contact ZPS to discuss larger panel sizes.



Examples of the natural patina formation process.



SYSTEM SPECS

MATERIAL

A606-4
Weathering Steel

FINISH

Mill Steel, Naturally Weathering

WARRANTY

MFG: 2 YEARS

AVAILABLE PANEL TYPES



AAMA

501.1
508

ASTM

E84
E283
E330
E331
E1233

FULLY TESTED SYSTEM




	18ga	16ga
PANEL DEPTH	1-1/4" nominal standard, up to 3"	1-1/4" nominal standard, up to 3"
PANEL JOINTS	5/8" nominal (1/8" - 1" available)	5/8" nominal (1/8" - 1" available)
WEIGHT	≈ 2 lbs. / sf	≈ 3 lbs. / sf

TECHNICAL INFORMATION

Stainless Steel

Stainless steel delivers a sleek, modern finish with outstanding strength, corrosion resistance, and lasting durability.

ORIGIN
PREMIER




PANEL PARAMETERS & SYSTEM SPECS

18ga

PANEL SIZE PARAMETERS

ORIGIN
PREMIER




Wind clips not required (verification needed in high-wind areas).

Vertical panels 48\"

LARGER PANEL SIZES
Panel sizes as shown are the recommended maximum width and heights. If there is a panel size that fits inside these guidelines, ZPS can manufacture it. Please contact ZPS to discuss larger panel sizes.

16GA AVAILABLE
16ga stainless steel is available upon request.

Polished



Brushed



Angel Hair



2B



SYSTEM SPECS

MATERIAL

316
Stainless Steel

FINISH


Polished, Brushed,
Angel Hair, 2B

WARRANTY

MFG: 2 YEARS

	18ga
PANEL DEPTH	1-1/4\"
PANEL JOINTS	5/8\"
WEIGHT	≈ 2 lbs. / sf

AVAILABLE PANEL TYPES



AAMA

501.1
508

ASTM

E84
E283
E330
E331
E1233

**FULLY
TESTED
SYSTEM**



KANSAS DEPARTMENT OF ADMINISTRATION

Scope: 14,990 SF


Product: Premier 'Dimension' & 'Flat'

Finish: 2-Coat Mica, 70% PVDF

Color: Champagne & Iron Mountain

Topeka,
Kansas





NBCE ASSESSMENT CENTER

Scope: 1,700 SF

Product: Premier 'Flat'

Finish: 2-Coat 70% PVDF

Color: Iron Ore

Greeley,
Colorado

REPUBLIC INTERMEDIATE SCHOOL

Scope: 10,060 SF

Product: Premier 'Flat'

Republic,
Missouri

Finish: 2-Coat Mica & 3-Coat 70% PVDF

Color: Custom Zinc Gray & Knockout Orange






OFFICES AT OVERLOOK

Scope: 17,500 SF
Product: Premier 'Edge'
Finish: Class 1 Anodized
Color: Clear Anodized

Kansas City,
Kansas



100% FEVE SOLID COLORS




 CUSTOM COLORS AVAILABLE





Superdurable
D2000 Series
25-year film integrity
15-year decorative integrity
Qualicoat Class 2 / AAMA 2604

Hyperdurable
D3000 Series
30-year film integrity
20-year decorative integrity
Qualicoat Class 3 / AAMA 2605

STANDARD COLORS

				
PURE WHITE ZPS-001	BONE WHITE ZPS-002	OYSTER WHITE ZPS-003	LIGHT IVORY ZPS-004	SANDSTONE ZPS-005
				
BEIGE ZPS-006	LIGHT GRAY ZPS-007	WINDOW GRAY ZPS-008	BLUE GRAY ZPS-009	DUSTY GRAY ZPS-010
				
QUARTZ ZPS-012	DARK UMBRA ZPS-013	SLATE ZPS-014	BRILLIANT BLUE ZPS-015	GRAY BLUE ZPS-016
				
PATINA GREEN ZPS-017	FIR GREEN ZPS-018	COCOA BROWN ZPS-019	JET BLACK ZPS-020	

PREMIUM COLORS

				
GRAY ALUMINUM ZPS-011	BLUE PEWTER ZPS-021	SILVER ZPS-022	CHAMPAGNE ZPS-023	COPPER ZPS-024

HIGH PERFORMANCE POWDER COATING

Delivering exceptional durability, color consistency, and long-term performance, our advanced IN HOUSE powder coating systems are engineered for demanding architectural applications.

ORIGIN
PREMIER

70% PVDF SOLID COLORS



CUSTOM COLORS AVAILABLE

ADVANCED PVDF PAINT

PVDF coatings combine exceptional durability with outstanding color consistency, delivering a finish that withstands UV exposure, harsh weather, and everyday wear.

STANDARD COLORS



BONE WHITE



IVORY



SANDSTONE



BURNT SUN



SIERRA TAN




BEIGE



LIGHT SEAWOLF BEIGE



DOVE GRAY



SLATE GRAY



CHARCOAL GRAY



PATINA GREEN



DARK IVY



HARTFORD GREEN



MILITARY BLUE



INTERSTATE BLUE



COLONIAL RED



BOYSENBERRY



SAGE BROWN



QUAKER BRONZE



BLACK


PREMIUM COLORS




CHAMPAGNE PEARL



CLASSIC COPPER



PEWTER



SILVER



Zeeff Panel Systems are engineered to meet AAMA 2605 standards—the highest level of performance requirements for architectural coatings.

ORIGIN
PREMIER

FAUX TEXTURE FINISHES

 CUSTOM COLORS AVAILABLE

STONE



WHITE STONE



PORTLAND STONE



SANDSTONE



LIMESTONE



DARK GRAY NATURAL
CONCRETE



LIGHT GRAY NATURAL
CONCRETE



RED BRICK

Interpon.
POWDER COATINGS

INTERPON D2000 STONE EFFECT

Superdurable
D2000 Series
20-year film integrity

 Qualicoat Class
2 Certified

 AAMA 2604
Performance

SUBLIMATION

Our sublimation process permanently transfers realistic woodgrain and weathered steel patterns into the powder-coated surface, creating highly durable finishes that resist fading, peeling, and weathering.

WEATHERED STEEL




6064/03-DS

AGED IRON
WEATHERED STEEL



6064/02-9G

CANYON BRONZE
WEATHERED STEEL




6064/02-DS

OLIVE PATINA
WEATHERED STEEL




6065/01-9G

AUTUMN BRONZE
WEATHERED STEEL



6052/01-DS

RED IRON
WEATHERED STEEL



6064/02-DS

HARVEST GOLD
WEATHERED STEEL

ARCHITECTURAL FAUX TEXTURES WITH AAMA
2604-COMPLIANT PERFORMANCE.

ORIGIN
PREMIER

INTERESTED IN WOODGRAIN?

Enhance your design with authentic woodgrain finishes. Scan the QR code or visit our website to browse our standard woodgrain color collection.



ANODIZED ALUMINUM

FINISH OPTIONS



CLEAR (ANO-215)



CHAMPAGNE (ANO-300)



LIGHT BRONZE (ANO-301)



MEDIUM BRONZE (ANO-302)



DARK BRONZE (ANO-303)



EXTRA-DARK BRONZE (ANO-304)



BLACK (ANO-305)



AAMA 611
Architectural Class 1

PREMIUM FINISH OPTIONS



COPPER (ANO-630)



BORDEAUX (ANO-730)

PREMIUM ANODIZING

Anodized aluminum enhances the natural beauty of the metal while creating an exceptionally durable, integral finish. Unlike paint, the anodic layer becomes part of the aluminum, delivering outstanding abrasion resistance, UV stability, and a sophisticated metallic appearance.

ZINC

STANDARD COLORS



NATURAL ZINC




GRAY ZINC



BLUE ZINC



RED ZINC



GREEN ZINC



BROWN ZINC



BLACK ZINC

ORIGIN
PREMIER

Panels that perform.
People that deliver.



zeeffpanels.com | 616-371-7227



Made in America