

TECHNICAL PRODUCT GUIDE

PANELS THAT
PERFORM.

PEOPLE THAT
DELIVER.

ORIGIN SELECT & LITE

PANEL PARAMETERS
TESTING INFORMATION



VISIT OUR WEBSITE:
ZEEFFPANELS.COM

Origin Select & Lite


Origin Select retains the same quality and performance. The key to its affordability lies in the optimized process with select sizes, making this program an ideal choice for projects that demand both excellence and economic efficiency.

Origin Select

Standardized panel sizes, painted aluminum material, fixed at .080" thickness

Origin Lite

Standardized panel sizes, painted aluminum material, fixed at .063" & .050" thickness



Origin Select

Technical Data

Material Thickness: .080" Aluminum
System Depth: 1-1/4" nominal
Material Weight: Less than 2 lbs. / sf
Panel Reveals: 5/8" nominal
Material Finish: 70% PVDF or 100% FEVE



Panel Parameters:
Available Program Sizes

Fully Tested System ✓	AAMA 508	ASTM E1233
	ASTM E330	ASTM E331
	ASTM E283	AAMA 501.1 ASTM E84

Width x Height	Width x Height	Width x Height	Width x Height	Width x Height
18" x 48" Width x Height	22" x 48" Width x Height	24" x 96" Width x Height	60" x 24" Width x Height	96" x 22" Width x Height
18" x 72" Width x Height	22" x 60" Width x Height	24" x 120" Width x Height	72" x 16" Width x Height	96" x 24" Width x Height
18" x 96" Width x Height	22" x 72" Width x Height	30" x 30" Width x Height	72" x 18" Width x Height	120" x 16" Width x Height
18" x 120" Width x Height	22" x 96" Width x Height	36" x 36" Width x Height	72" x 20" Width x Height	120" x 20" Width x Height
20" x 60" Width x Height	22" x 120" Width x Height	48" x 22" Width x Height	72" x 22" Width x Height	120" x 22" Width x Height
20" x 72" Width x Height	24" x 48" Width x Height	48" x 24" Width x Height	72" x 24" Width x Height	120" x 24" Width x Height
20" x 96" Width x Height	24" x 60" Width x Height	60" x 20" Width x Height	96" x 16" Width x Height	///
20" x 120" Width x Height	24" x 72" Width x Height	60" x 22" Width x Height	96" x 20" Width x Height	

Premier vs. Select

One System. Multiple Solutions.

Robust detailing, field measurements and installation drawing sets
Ability to color match

Customize your panel size within our size parameters to meet your vision

PREMIER

Faster shop drawing and production lead times
Ability to color match for an additional cost
Wide variety of panel sizes to select from

SELECT

Premier vs. Select		
Features	Premier	Select
Panel Sizes	Customizable	Standardized
Colors	Unlimited	Standard *Color match as requested
Formed Corners	✓	✗
Architectural Detailing	✓	✗
Cut-to-Fit Detailing	✓	✓
Field Measurement	✓	✗
Installation Drawing Set	✓	✓ *Available if required

Origin Select

Lite

Technical Data

Material Thickness: .063", .050" Aluminum

System Depth: 1-1/4" nominal

Material Weight: Less than 2 lbs. / sf

Panel Reveals: 5/8" nominal

Material Finish: High Performance Powder Coating (AAMA 2605/2604)

- D2000 Series

 - 25-year film integrity
 - 15-year decorative integrity
 - Qualicoat Class 2 / AAMA 2604
- D3000 Series

 - 30-year film integrity
 - 20-year decorative integrity
 - Qualicoat Class 3 / AAMA 2605



Fully Tested System

✓

AAMA 508

ASTM E330

ASTM E283

ASTM E1233

ASTM E331

AAMA 501.1

ASTM E84

Panel Parameters:

Available Program Sizes

.063" Aluminum Width x Height	.063" & .050" Aluminum Width x Height
36" x 18" Width x Height	36" x 16" Width x Height
48" x 18" Width x Height	48" x 16" Width x Height
60" x 18" Width x Height	60" x 16" Width x Height
72" x 18" Width x Height	72" x 16" Width x Height
96" x 18" Width x Height	96" x 16" Width x Height
120" x 18" Width x Height	120" x 16" Width x Height



VISIT OUR WEBSITE

www.zeeffpanels.com

616-341-7227
info@zeeffpanels.com

138 W Washington Ave.
Zeeland, MI
49424